

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits   | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|--------|---|---|------------------|---------|---------------------|
| L1    | 311650 | (identify identifies identified identifying locate located locating locates trace traces traced tracing track\$3 find finds found finding determin\$3 pinpoint\$3 pin-point\$3 (pin ADJ point\$3) determin\$5 compar\$4 judg\$4 assess\$4 detect\$3) WITH (time "when") WITH (error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion)         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/07/14<br>17:09 |
| L2    | 5309   | ((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)) AND ((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent")) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/07/14<br>17:12 |

|     |        |   |   |    |     |                     |
|-----|--------|---|---|----|-----|---------------------|
| L3  | 3410   | L1 AND L2   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:12 |
| L6  | 53526  | ("711").CLAS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:13 |
| L8  | 91083  | ("707").CLAS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:14 |
| L9  | 95786  | ("365").CLAS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:14 |
| L10 | 283    | L3 AND (L6 L8 L9)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:15 |
| L11 | 92     | L3 AND (L6)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:16 |
| L12 | 945488 | (snapshot "snap shot"<br>snap-shot backup back-<br>up "back up" replica<br>replication (time<br>NEAR5 (store stored<br>storing stores)) (image<br>NEAR5 (version<br>generation))) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:25 |
| L13 | 1534   | L3 AND L12  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:25 |

|     |       |   |   |    |     |                     |
|-----|-------|---|---|----|-----|---------------------|
| L14 | 251   | (((error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)) SAME L12) AND (((error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent")) SAME L12) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:26 |
| L15 | 159   | L1 AND L14  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:27 |
| L16 | 49    | L15 AND (L6 L8 L9)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:27 |
| L18 | 94282 | ("714").CLAS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:45 |
| L19 | 67    | L15 AND (L6 L8 L9 L18)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:46 |

|     |       |   |   |    |     |                     |
|-----|-------|---|---|----|-----|---------------------|
| L21 | 35050 | ((identify identifies identified identifying locate located locating locates trace traces traced tracing track\$3 find finds found finding determin\$3 pinpoint\$3 pin-point\$3 (pin ADJ point\$3) determin\$5 compar\$4 judg\$4 assess\$4 detect\$3) WITH (time "when") WITH (error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion)).CLM.                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:51 |
| L22 | 94667 | ((snapshot "snap shot" snap-shot backup back-up "back up" replica replication (time NEAR5 (store stored storing stores)) (image NEAR5 (version generation))))).CLM.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:52 |
| L23 | 26    | ((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)).CLM. SAME L22) AND (((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent")). CLM. SAME L22) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>17:52 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| L24 | 18 | L21 AND L23   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:53 |
| L25 | 7  | L24 AND (L6 L8 L9<br>L18)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/07/14<br>17:53 |
| L26 | 2  | ((error defect\$4 fault<br>\$1 corrupt\$3 flaw<br>imperfection damage<br>damaged altered<br>altered modified<br>modification changed<br>change taint\$3<br>intrusion) WITH (time)<br>NEAR3 (earlier before<br>older further)) SAME<br>L12) AND (((("not"<br>"no") NEAR2 (error<br>defect\$4 fault\$1<br>corrupt\$3 flaw<br>imperfection damage<br>damaged altered<br>altered modified<br>modification changed<br>change taint\$3<br>intrusion)) WITH<br>(time) NEAR3 (later<br>after newer younger<br>fresher closer "more<br>recent")) SAME L12) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>18:05 |
| L27 | 1  | L1 AND L26  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/07/14<br>18:05 |
| S44 | 1  | "6647400".pn.   | USPAT   | OR | ON  | 2009/07/13<br>21:39 |
| S45 | 11 | ("5511188" "5574898"<br>"5621889" "5638509"<br>"5649194" "5680585"<br>"5724569" "5757913"<br>"5778070" "5844986"<br>"5978791").pn.  | USPAT   | OR | ON  | 2009/07/13<br>21:43 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S46 | 9  | (moran-douglas-b).IN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/07/13<br>21:45 |
| S47 | 56 | (intrusion corrupt\$3)<br>NEAR5 (detect\$3<br>assess\$3) AND (time<br>NEAR1 stamp\$3) AND<br>(trace traces tracing<br>traced locat\$3 track\$3)<br>WITH (time) WITH<br>(intrusion corrupt\$3) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/07/13<br>21:57 |
| S48 | 1  | "5440723".PN.   | USPAT; USOCR  | OR | ON | 2009/07/13<br>22:47 |
| S49 | 1  | "5557798".PN.   | USPAT; USOCR  | OR | ON | 2009/07/13<br>22:47 |
| S50 | 1  | "6269409".PN.   | USPAT; USOCR  | OR | ON | 2009/07/13<br>22:47 |
| S51 | 1  | "20040064732".PN.   | US-PGPUB  | OR | ON | 2009/07/13<br>22:48 |
| S52 | 1  | "20020026605".PN.   | US-PGPUB  | OR | ON | 2009/07/13<br>22:48 |

7/ 14/ 2009 6:39:07 PM

C:\ Documents and Settings\ sgu\ My Documents\ EAST\ Workspaces\ 10799428 Method for  
Identifying the Time At Which Data Was Written To A Data Store.wsp